

Full publication list by

Vlastimil Havran

Czech Technical University, Faculty of Electrical Engineering

Department of Computer Graphics and Interaction

Karlovo nám 13, 121 35 Praha 2, Czech Republic

E-mail: *havran AT fel DOT cvut DOT cz*

May 11, 2015

References

- [1] M. Vinkler and V. Havran, “Register Efficient Dynamic Memory Allocator for GPUs,” *Computer Graphics Forum*, vol. 34, no. XX, pp. XXX–YYY, 2015.
- [2] V. Bubnik and V. Havran, “Light Chisel: 6DOF Pen Tracking,” *Computer Graphics Forum*, vol. 34, no. 2, pp. 325–336, 2015. <http://diglib.org/bitstream/handle/10.1111/cgf12563/v34i2pp325-336.pdf?sequence=1>.
- [3] V. Havran and M. Sbert, “Surface Reflectance Characterization by Statistical Tools,” in *31st Spring Conference on Computer Graphics (SCCG 2015)* (J. Jorge, L. P. Santos, and R. Durikovic, eds.), (Smolenice, Slovakia), pp. 55–62, Comenius University, Bratislava, Slovakia, April 2015.
- [4] V. Havran and P. Egert, “Extensions to Bidirectional Texture Function Compression with Multi-Level Vector Quantization in OpenCL,” *Computers & Graphics*, vol. 48, no. 0, pp. 1–10, 2015.
- [5] J. Bittner, M. Hapala, and V. Havran, “Incremental BVH Construction for Ray Tracing,” *Computers and Graphics*, vol. 47, no. 0, pp. 135–144, 2015.
- [6] V. Havran and M. Sbert, “Optimal Combination of Techniques in Multiple Importance Sampling,” in *Proceedings of the 13th ACM SIGGRAPH International Conference on Virtual-Reality Continuum and Its Applications in Industry, VRCAI ’14*, (New York, NY, USA), pp. 141–150, ACM, 2014.
- [7] P. Egert and H. Vlastimil, “Parallel BTF Compression with Multi-Level Vector Quantization in OpenCL,” (Seoul, Korea), pp. 131–134, Eurographics Association, 2014.
- [8] V. Havran and M. Sbert, “Optimal Combination of Techniques in Multiple Importance Sampling,” Technical Report Series of DCGI CS-TR-DCGI-2014-2, Department of Computer Graphics and Interaction, Czech Technical University, FEE, Aug. 2014.
- [9] M. Vinkler and V. Havran, “Register Efficient Memory Allocator for GPUs,” in *High-Performance Graphics 2014* (I. Wald and J. Ragan-Kelley, eds.), (Lyon, France), pp. 19–27, Eurographics Association, 2014.
- [10] M. Vinkler, V. Havran, and J. Bittner, “Bounding Volume Hierarchies versus Kd-trees on Contemporary Many-Core Architectures,” in *Proceedings of the 30th Spring Conference on Computer Graphics, SCCG ’14*, (Bratislava, Slovakia), pp. 61–68, Comenius University, 2014.
- [11] *Efficient Sorting and Searching in Rendering Algorithms*, (Strasbourg, France), Eurographics, 2014. half-day tutorial T8, Home page <http://dcgi.fel.cvut.cz/home/havran/eg2014tut/>.

- [12]T. Nikodým, V. Havran, and J. Bittner, “Multiple Live Video Environment Sampling,” *Journal of WSCG (conference WSCG 2013, full papers)*, vol. 21, no. 2, pp. 127–136, 2013.
- [13]T. Barak, J. Bittner, and V. Havran, “Temporally Coherent Adaptive Sampling for Imperfect Shadow Maps,” *Computer Graphics Forum (Proceedings of EGSR 2013)*, vol. 32, no. 4, pp. 87–96, 2013.
- [14]J. Filip, R. Vavra, M. Haindl, M. Zid, P. Krupicka, and V. Havran, “BRDF Slices: Accurate Adaptive Anisotropic Appearance Acquisition,” in *In proceedings of the 26th IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2013*, pp. 4321–4326, June 2013.
- [15]M. Vinkler, J. Bittner, V. Havran, and M. Hapala, “Massively Parallel Hierarchical Scene Processing with Applications in Rendering,” *Computer Graphics Forum*, vol. 32, no. 8, pp. 13–25, 2013.
- [16]J. Bittner, M. Hapala, and V. Havran, “Fast Insertion-Based Optimization of Bounding Volume Hierarchies,” *Computer Graphics Forum*, vol. 32, no. 1, pp. 85–100, 2013.
- [17]V. Havran, “PhD Study Guide for Computer Science at Czech Technical University.” Manuscript, Sept. 2012. In Czech, available on request.
- [18]M. Vinkler, M. Hapala, J. Bittner, and V. Havran, “Massively Parallel Hierarchical Scene Sorting with Applications in Rendering,” Tech. Rep. CS-TR-DCGI-2012-1, Department of Computer Graphics and Interaction, Czech Technical University, FEE, Aug. 2012.
- [19]M. Vinkler, V. Havran, and J. Sochor, “Visibility driven BVH build up algorithm for ray tracing,” *Computers & Graphics*, vol. 36, pp. 283–296, June 2012.
- [20]V. Havran, J. Bittner, P. Slavik, and J. Zara, “How to Write a Technical Report at the DCGI, FEE, Czech Technical University in Prague, CZ,” Tech. Rep. CS-TR-DCGI-2011-1, Department of Computer Graphics and Interaction, Czech Technical University, FEE, June 2011.
- [21]M. Hapala, T. Davidovič, I. Wald, V. Havran, and P. Slusallek, “Efficient stack-less bvh traversal for ray tracing,” in *Proceedings of the 27th Spring Conference on Computer Graphics, SCCG ’11*, (New York, NY, USA), pp. 7–12, ACM, April/May 2013.
- [22]M. Hapala, O. Karlik, and V. Havran, “When It Makes Sense to Use Uniform Grids for Ray Tracing,” in *Proceedings of WSCG’2011, communication papers*, pp. 193–200, Feb 2011.
- [23]M. Hapala and V. Havran, “Review: Kd-tree Traversal Algorithms for Ray Tracing,” *Computer Graphics Forum*, vol. 30, pp. 199–213, march 2011. doi: 10.1111/j.1467-8659.2010.01844.x, Article first published online: 24 JAN 2011.
- [24]J. Novak, V. Havran, and C. Daschbacher, *Path Regeneration for Random Walks*, ch. 26, pp. 401–412. Morgan Kaufmann, January 2011. 886 pages, source code at <http://www.gpucomputing.net/?q=node/1308>.
- [25]J. Novak, V. Havran, and C. Daschbacher, “Path Regeneration for Interactive Path Tracing,” in *The European Association for Computer Graphics 28th Annual Conference: EUROGRAPHICS 2010, short papers*, pp. 61–64, The European Association for Computer Graphics, 2010.
- [26]V. Havran, J. Filip, and K. Myszkowski, “Bidirectional Texture Function Compression based on the Multilevel Vector Quantization,” *Computer Graphics Forum*, vol. 29, pp. 175–190, Jan 2010.

- [27]R. Berka, Z. Travnicek, V. Havran, J. Bittner, J. Zara, P. Slavik, P. Borovsky, and J. Navratil, “Implementing Video-Based, Remotely Accessible Virtual Environment System,” Research Report 2, CESNET, Prague, Czech Republic, March 2010.
- [28]V. Havran, “Efficient searching algorithms in image synthesis,” Apr. 2010. Habilitation thesis, Czech Technical University, Faculty of Electrical Engineering.
- [29]M. Zlatuska and V. Havran, “Ray Tracing on a GPU with CUDA – Comparative Study of Three Algorithms,” in *Proceedings of WSCG’2010, communication papers*, pp. 69–76, Feb 2010.
- [30]V. Havran, “Rozšířená realita na Karlově má velký pedagogický potenciál,” *Technicall*, vol. 4, pp. 17–17, 2009.
- [31]V. Havran, J. Zajac, J. Drahokoupil, and H.-P. Seidel, “MPII Building Model as Data for Your Research,” Research Report MPI-I-2009-4-004, MPI Informatik, Saarbruecken, Germany, Dec 2009.
- [32]V. Havran, J. Filip, and K. Myszkowski, “Bidirectional Texture Function Compression based on the Multilevel Vector Quantization,” Research Report 2265, Institute of Information Theory and Automation, Academy of Sciences of the Czech Republic, Prague, Czech Republic, Dec 2009.
- [33]J. Bittner, O. Mattausch, P. Wonka, V. Havran, and M. Wimmer, “Adaptive Global Visibility Sampling,” *ACM Transactions on Graphics*, vol. 28, pp. 94:1–94:10, Aug. 2009. Proceedings of ACM SIGGRAPH 2009.
- [34]J. Bittner and V. Havran, “RDH: Ray Distribution Heuristics for Construction of Spatial Data Structures,” in *25th Spring Conference on Computer Graphics (SCCG 2009)* (H. Hauser, ed.), (Budmerice, Slovakia), pp. 61–67, ACM SIGGRAPH and EUROGRAPHICS, ACM, May 2009.
- [35]R. Berka, Z. Travnicek, V. Havran, J. Bittner, J. Zara, P. Slavik, and J. Navratil, “CAVE to CAVE: Communication in Distributed Virtual Environment,” Research Report 23, CESNET, Prague, Czech Republic, Dec 2008.
- [36]V. Havran, “Virtuální realita na Karlově náměstí,” *Technicall*, vol. 2, pp. 13–13, 2008.
- [37]V. Havran and J. Bittner, “Stackless Ray Traversal for kD-Trees with Sparse Boxes,” *Computer Graphics & Geometry*, vol. 9, pp. 16–30, December 2007.
- [38]J. Bittner and V. Havran, “RDH: Ray Distribution Heuristics for Construction of Spatial Data Structures,” September 2007.
- [39]R. Herzog, V. Havran, S. Kinuwaki, K. Myszkowski, and H.-P. Seidel, “Global Illumination using Photon Ray Splatting,” in *The European Association for Computer Graphics 28th Annual Conference: EUROGRAPHICS 2007* (D. Cohen-Or and P. Slavik, eds.), vol. 26(3) of *Computer Graphics Forum*, (Prague, Czech Republic), pp. 503–513, The European Association for Computer Graphics, Blackwell, 2007.
- [40]R. Herzog, V. Havran, S. Kinuwaki, K. Myszkowski, and H.-P. Seidel, “Global Illumination using Photon Ray Splatting,” Research Report MPI-I-2007-4-007, MPI Informatik, Saarbruecken, Germany, May 2007.
- [41]V. Havran, “About the Relation between Spatial Subdivisions and Object Hierarchies Used in Ray Tracing,” in *23rd Spring Conference on Computer Graphics (SCCG 2007)* (M. Sbert, ed.), (Budmerice, Slovakia), pp. 55–60, ACM SIGGRAPH and EUROGRAPHICS, ACM, May 2007.

- [42] V. Havran and J. Bittner, "Ray Tracing with Sparse Boxes," in *23rd Spring Conference on Computer Graphics (SCCG 2007)* (M. Sbert, ed.), (Budmerice, Slovakia), pp. 49–54, ACM SIGGRAPH and EUROGRAPHICS, ACM, May 2007.
- [43] V. Havran, R. Herzog, and H.-P. Seidel, "On the Fast Construction of Spatial Data Structures for Ray Tracing," in *Proceedings of IEEE Symposium on Interactive Ray Tracing 2006*, pp. 71–80, Sept. 2006.
- [44] *Efficient Sorting and Searching in Rendering Algorithms*, vol. T4, (Vienna, Austria), Eurographics, 2006.
- [45] I. Wald, A. Dietrich, C. Benthin, A. Efremov, T. Dahmen, J. Günther, V. Havran, H.-P. Seidel, and P. Slusallek, "A ray tracing based framework for high-quality virtual reality in industrial design applications," in *Proceedings of the 2006 IEEE Symposium on Interactive Ray Tracing*, pp. 177–185, Sept. 2006.
- [46] I. Wald and V. Havran, "On building fast kd-trees for ray tracing, and on doing that in $O(N \log N)$," in *Proceedings of IEEE Symposium on Interactive Ray Tracing 2006*, pp. 61–69, Sept. 2006.
- [47] V. Havran, R. Herzog, and H.-P. Seidel, "On Fast Construction of Spatial Hierarchies for Ray Tracing," Research Report MPI-I-2006-4-004, Max-Planck-Institut für Informatik, Stuhlsatzenhausweg 85, 66123 Saarbrücken, Germany, June 2006.
- [48] A. Yoshida, K. Myszkowski, V. Havran, and A. Artusi, "D10.4: Perceptual Evaluation of Tone Mapping Operators," 2005.
- [49] V. Havran, K. Myszkowski, J. Wurster, and C. Soler, "D10.3: Report on Light Simulation in Architecture," 2005.
- [50] G. Zotti, V. Havran, and A. Neumann, "D10.1: Test Report on Data Acquisition," 2005.
- [51] V. Havran, R. Herzog, and H.-P. Seidel, "Fast Final Gathering via Reverse Photon Mapping," *Computer Graphics Forum (Proceedings of Eurographics 2005)*, vol. 24, pp. 323–333, August 2005.
- [52] V. Havran, M. Smyk, G. Krawczyk, K. Myszkowski, and H.-P. Seidel, "Importance Sampling for Video Environment Maps," in *ACM SIGGRAPH 2005 Full Conference DVD-ROM*, (Los Angeles, USA), ACM SIGGRAPH, ACM, August 2005. Sketches & Applications.
- [53] V. Havran, M. Smyk, G. Krawczyk, K. Myszkowski, and H.-P. Seidel, "Interactive System for Dynamic Scene Lighting using Captured Video Environment Maps," in *Rendering Techniques 2005 (Eurographics Symposium on Rendering)* (K. Bala and P. Dutre, eds.), (Konstanz, Germany), pp. 31–42,311, Eurographics Association, June 2005.
- [54] V. Havran, J. Bittner, R. Herzog, and H.-P. Seidel, "Ray Maps for Global Illumination," in *Rendering Techniques 2005 (Eurographics Symposium on Rendering)* (K. Bala and P. Dutre, eds.), (Konstanz, Germany), pp. 43–54,311, Eurographics Association, June 2005.
- [55] V. Havran, A. Neumann, G. Zotti, W. Purgathofer, and H.-P. Seidel, "On Cross-Validation and Resampling of BRDF Data Measurements," in *21st Spring Conference on Computer Graphics (SCCG 2005)* (B. Juettler, ed.), (Budmerice, Slovakia), pp. 154–161, ACM SIGGRAPH and EUROGRAPHICS, ACM, May 2005.
- [56] A. Efremov, V. Havran, and H.-P. Seidel, "Robust and Numerically Stable Bezier Clipping Method for Ray Tracing NURBS Surfaces," in *21st Spring Conference on Computer Graphics (SCCG 2005)* (B. Juettler, ed.), (Budmerice, Slovakia), pp. 123–131, ACM SIGGRAPH and EUROGRAPHICS, ACM, 2005.

- [57]K. Dmitriev, V. Havran, and H.-P. Seidel, “Faster Ray Tracing with SIMD Shaft Culling,” Research Report MPI-I-2004-4-006, Max-Planck-Institut für Informatik, Saarbrücken, Germany, December 2004.
- [58]V. Havran, J. Bittner, and H.-P. Seidel, “Ray Maps for Global Illumination,” in *ACM SIGGRAPH 2004 Full Conference DVD-ROM*, (Los Angeles, USA), ACM SIGGRAPH, ACM, July 2004. Sketches & Applications.
- [59]T. Tawara, K. Myszkowski, K. Dmitriev, V. Havran, C. Domez, and H.-P. Seidel, “Exploiting Temporal Coherence in Global Illumination (an invited paper),” in *Spring Conference on Computer Graphics (SCCG 2004)* (A. Pasko, ed.), (Budmerice, Slovakia), pp. 23–33, ACM, 2004.
- [60]P. Kondratieva, V. Havran, and H.-P. Seidel, “Effective Use of Procedural Shaders in Animated Scenes,” in *Computational Science, ICCS 2004 : 4th International Conference* (M. Bubak, G. D. van Albada, P. M. A. Sloot, and J. J. Dongarra, eds.), vol. 3039 of *Lecture Notes in Computer Science*, (Kraków, Poland), pp. 164–172, Springer, June 2004.
- [61]P. Bekaert, P. Slusallek, R. Cools, V. Havran, and H.-P. Seidel, “A custom designed density estimation method for light transport,” Research Report MPI-I-2003-4-004, Max-Planck-Institut für Informatik, Stuhlsatzenhausweg 85, 66123 Saarbrücken, Germany, September 2003.
- [62]V. Havran, K. Dmitriev, and H.-P. Seidel, “Goniometric Diagram Mapping for Hemisphere.” Short Presentations (Eurographics 2003), 2003.
- [63]V. Havran, C. Domez, K. Myszkowski, and H.-P. Seidel, “An Efficient Spatio-Temporal Architecture for Animation Rendering,” in *ACM SIGGRAPH 2003 Full Conference DVD-ROM*, (San-Diego, USA), ACM SIGGRAPH, ACM, July 2003. Sketches & Applications.
- [64]V. Havran, C. Domez, K. Myszkowski, and H.-P. Seidel, “An Efficient Spatio-Temporal Architecture for Animation Rendering,” in *Rendering Techniques 2003 : 14th Eurographics Workshop on Rendering* (P. Christensen and D. Cohen-Or, eds.), (Leuven, Belgium), pp. 106–117, Association of Computing Machinery (ACM), ACM, June 2003.
- [65]V. Havran, J. Bittner, and H.-P. Seidel, “Exploiting Temporal Coherence in Ray Casted Walkthroughs,” in *Proceedings of the 19th Spring Conference on Computer Graphics 2003 (SCCG 03)* (K. I. Joy, ed.), (Budmerice, Slovakia), pp. 164–172, ACM, April 2003.
- [66]V. Havran and W. Purgathofer, “On Comparing Ray Shooting Algorithms,” *Computers & Graphics*, vol. 27, no. 4, pp. 593–604, 2003.
- [67]V. Havran, “Mailboxing, yea or nay?,” *Ray Tracing News*, vol. 15, p. cca 1 pages, Oct. 2002. Available from <http://www.acm.org/tog/resources/RTNews/html/rtnv15n1.html>.
- [68]L. Szirmay-Kalos, V. Havran, B. Balázs, and L. Szécsi, “On the Efficiency of Ray-shooting Acceleration Schemes,” in *Proceedings of the 18th Spring Conference on Computer Graphics (SCCG 2002)* (A. Chalmers, ed.), (Budmerice, Slovakia), pp. 89–98, ACM Siggraph, 2002.
- [69]V. Havran and J. Bittner, “On Improving KD-Trees for Ray Shooting,” *Journal of WSCG*, vol. 10, pp. 209–216, February 2002.
- [70]V. Havran, “PhD Study Guide at Department of Computer Science and Engineering.” Script, University Publishing House, 2001. In Czech.
- [71]J. Bittner and V. Havran, “Exploiting Temporal and Spatial Coherence in Hierarchical Visibility Algorithms,” in *Proceedings of SCCG’01 (Spring Conference on Computer Graphics)*, (Budmerice, Slovak Republic), pp. 213–220, Apr 2001.

- [72] J. Bittner and V. Havran, "Exploiting coherence in hierarchical visibility algorithms," *The Journal of Visualization and Computer Animation*, vol. 12, pp. 277–286, December 2001.
- [73] V. Havran, *Heuristic Ray Shooting Algorithms*. Ph.d. thesis, Department of Computer Science and Engineering, Faculty of Electrical Engineering, Czech Technical University in Prague, November 2000.
- [74] V. Havran and W. Purgathofer, "Comparison Methodology for Ray Shooting Algorithms," Tech. Rep. TR-186-2-00-20, Institute of Computer Graphics, Vienna University of Technology, Favoritenstrasse 9/186, A-1040 Vienna, Austria, Nov. 2000. human contact: technical-report@cg.tuwien.ac.at.
- [75] V. Havran, J. Příkryl, and W. Purgathofer, "Statistical Comparison of Ray-Shooting Efficiency Schemes," Tech. Rep. TR-186-2-00-14, Institute of Computer Graphics, Vienna University of Technology, Favoritenstrasse 9/186, A-1040 Vienna, Austria, May 2000. human contact: technical-report@cg.tuwien.ac.at.
- [76] V. Havran and J. Bittner, "LCTS: Ray shooting using longest common traversal sequences," *Computer Graphics Forum (Proc. Eurographics '2000)*, vol. 19, pp. C59–C70, Aug 2000.
- [77] V. Havran, L. Dachs, and J. Žára, "VIS-RT: A visualization system for RT spatial data structures," in *Proceedings of WSCG'2000, short communication papers*, pp. 28–35, Feb 2000.
- [78] V. Havran, "A Summary of Octree Ray Traversal Algorithms," *Ray Tracing News*, vol. 12, p. cca 10 pages, Dec. 1999. Available from <http://www.acm.org/tog/resources/RTNews/html/rtnv12n2.html>.
- [79] V. Havran and F. Sixta, "Comparison of Hierarchical Grids," *Ray Tracing News*, vol. 12, p. cca 4 pages, June 1999. Available from <http://www.acm.org/tog/resources/RTNews/html/rtnv12n1.html>.
- [80] V. Havran, "Analysis of Cache Sensitive Representation for Binary Space Partitioning Trees," *Informatika*, vol. 23, pp. 203–210, May 1999.
- [81] V. Havran and J. Bittner, "Rectilinear BSP Trees for Preferred Ray Sets," in *Proceedings of SCCG'99 (Spring Conference on Computer Graphics)*, (Budmerice, Slovak Republic), pp. 171–179, Apr/May 1999.
- [82] V. Havran and J. Bittner, "Constructing Rectilinear BSP Trees for Preferred Ray Sets," in *Short Communication Papers of WSCG'99, poster section*, pp. 1–2, Feb. 1999.
- [83] V. Havran, "Adaptive Data Structures for Visibility Computing," in *Electronic proceedings of Workshop'99*, (Prague, Czech Republic), CTU–FEE, February 1999.
- [84] V. Havran, T. Kopal, J. Bittner, and J. Žára, "Fast Robust BSP Tree Traversal Algorithm for Ray Tracing," *Journal of Graphics Tools*, vol. 2, pp. 15–23, Dec. 1997. Published in 1998.
- [85] J. Bittner, V. Havran, and P. Slavík, "Hierarchical Visibility Culling with Occlusion Trees," in *Proceedings of Computer Graphics International '98 (CGI'98)*, (Hannover, Germany), pp. 207–219, IEEE, New York, June 1998.
- [86] T. Kopal, V. Havran, J. Bittner, and J. Žára, "Directionality in Ray Tracing," in *Proceedings of Poster'98*, (Prague, Czech Republic), pp. 2 pages, IC 24, CTU–FEE, May 1998. 2nd International Student Conference on Electrical Engineering.

- [87]V. Havran, "Constructing Surface Area Binary Space Partitioning with Rope Trees for Ray Tracing," in *Proceedings of Poster'98*, (Prague, Czech Republic), pp. 2 pages, IC 15, CTU-FEE, May 1998. 2nd International Student Conference on Electrical Engineering.
- [88]V. Havran, J. Bittner, and J. Žára, "Ray Tracing with Rope Trees," in *Proceedings of SCCG'98 (Spring Conference on Computer Graphics)*, (Budmerice, Slovak Republic), pp. 130–139, Apr. 1998.
- [89]V. Havran, "Statistically Optimized Traversal Algorithm for BSP trees," in *Proceedings of Workshop'98* (A. Strejc, ed.), (Prague, Czech Republic), pp. 365–366, CTU-FEE, Feb 1998.
- [90]V. Havran, "Cache Sensitive Representation for the BSP Tree," in *Proceedings of Compugraphics'97*, pp. 369–376, GRASP – Graphics Science Promotions & Publications, Dec. 1997.
- [91]V. Havran, "Spatial Data Structures for Visibility Computation," Tech. Rep. DC-PSR-97-05, CTU-FEE Prague, May 1997. Postgraduate Study Report, 34 pages.
- [92]V. Havran, "Evaluation of BSP trees for ray-tracing," in *Proceedings of Poster'97*, (Prague, Czech Republic), pp. 2 pages, IC 12, May 1997. 1st International Student Conference on Electrical Engineering.
- [93]V. Havran and J. Žára, "Evaluation of BSP properties for ray-tracing," in *Proceedings of SCCG'97 (Spring Conference on Computer Graphics)*, (Budmerice), pp. 155–162, Jun 1997.
- [94]V. Havran, "Parallel Ray-tracer on Shared Memory Multiprocessor Machines Connected via Internet," in *Proceedings of Workshop'97* (A. Strejc, ed.), (Prague, Czech Republic), pp. 321–322, CTU-FEE, Jan 1997.
- [95]V. Havran, M. Šoch, P. Šimek, and P. Tvrđík, "Parallel Merge Sort on Shared Memory Multicomputer.," in *Proceedings of Workshop'97* (A. Strejc, ed.), (Prague, Czech Republic), pp. 287–288, CTU-FEE, Jan 1997.
- [96]V. Havran, "Parallel Implementation of Ray Tracing on Shared Memory Architecture," in *Poster Section at SOFSEM'96*, (Milovy, Czech Republic), Nov 1996.
- [97]V. Havran and J. Žára, "Some Practical Aspects of Ray Tracing on Shared Memory Machine," in *Poster Section at Eurographics Workshop on Parallel Rendering*, (Bristol, UK), Aug 1996.
- [98]V. Havran, "Load Balancing Techniques for Ray-tracer on Shared Memory Machine," in *Proceedings of Poster'96*, (Prague, Czech Republic), pp. 74–74, CTU-FEE, May 1996.
- [99]V. Havran, "Simulation of Real Camera for Rendering," Master's thesis, CTU-FEE, Department of Computer Science and Engineering, Prague, Czech Republic, Feb 1996.
- [100]V. Havran and J. Žára, "Effective Homogenous Transformation of Large Raster Images," in *Poster Section at SOFSEM'95*, (Milovy, Czech Republic), Nov 1995.
- [101]V. Havran and J. Žára, "The simulation of the Real Camera for Rendering," in *Proceedings of Workshop'95*, (Prague, Czech Republic), pp. 183–184, CTU-FEE, Jan 1995.
- [102]V. Havran, "GOLEM rendering system," 2000. HOME page at <http://www.cgg.cvut.cz/GOLEM>.
- [103]V. Havran, J. Prikryl, and J. Bittner, "Best Efficiency Scheme," 2000. Home page at <http://www.cgg.cvut.cz/BES>.